



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

I. *A Catalogue of the fifty Plants from Chelsea-Garden, presented to the Royal Society, by the Company of Apothecaries, for the Year 1728; pursuant to the Direction of Sir Hans Sloane, Bart. Med. Reg. Præf. Col. Reg. Med. & Soc. Reg. By Isaac Rand, Apothecary, F. R. S.*

301. **A**NONIS Americana; folio latiori, subrotundo. T. Inst. 409.
302. Apocynum frutescens; Salicis folio, angusto.
An Apocynum erectum, Africanum; Villoso fructu; Salicis folio, glabro, angusto. Par. Bat. 24?
303. After Americanus, ferotinus, altissimus; folio brevi, caulem amplectente.
304. Betonica maxima; Scrophulariæ folio; flore e luteo pallescente. Schol. Bot. 64.
305. Betonica maxima; Scrophulariæ folio; floribus incarnatis. Par. Bat. 106.
306. Chamædrys; vulgo vera existimata. J. B. 3. 288.
307. Chamædrys; foliis parvis levitè crenatis.
308. Chamædrys; frutescens; Teucrium vulgo. T. Inst. 205.
309. Chamædrys; laciniatis foliis. Lob. Icon. 385.
310. Chamædrys; quæ *Teucrium Hispanicum, supinum; Verbenæ tenuifoliæ foliis. D. Goiffon. D. Fussieu.*
311. Commelina graminea, latifolia; flore cæruleo. Plum. N. Gen. Plant.

312. *Conyza Orientalis*, humilis; *Verbasci folio*, candidissimo.

An Conyza tomentosa & candidissima; subrotundo, crasso folio; flore luteo. D. Sherard.

Ac. Reg. Sc. Par. Anno 1719?

313. *Corona Solis; Trachelii folio; radice repente.*
T. Inst. 490.

314. *Corona Solis; Trachelii folio, ramosior; radice non repente.*

315. *Corona Solis; Trachelii folio, tenuiore; calyce floris foliato.*

316. *Cotinus coriaria.* Dod. 780.

317. *Doria major, repens.*

Virga aurea maxima; radice repente; sive Dorea major, repens. D. Bobart. Hist.

Ox. 3. 123.

318. *Doria; foliis tenuitè ferratis, ad caulem latis.*

An Alisma Monspeliensium; sive Doria. J. B.

2. 1064?

319. *Doria; quæ Jacobææ, Orientalis; Limonii folio. T. Cor. 36.*

320. *Elatine; folio acuminato in basi auriculato; flore luteo. C. B. 253.*

321. *Elatine; folio subrotundo. Ib.*

322. *Elatine Hispanica, rotundifolia; pediculis florum brevissimis.*

323. *Ferrum equinum, Germanicum; filiquis in summitate. C. B. 349.*

324. *Geranium Ægyptiacum; Althææ folio, subtus glauco. Lippii. D. Jussieu.*

325. *Geranium Alpinum; Coriandri folio; longius radicatum; flore purpureo. D. Micheli. Hort. Pisan. 68.*

326. Her-

326. *Hermannia frutescens*; folio Ibis, hirsuto, molli;
caule piloso. Boerh. Ind. 1. 115.
327. *Hermannia*; Alni folio parvo.
An Ketmia Africana, fruticans & erecta;
Alni foliis latioribus & majoribus; flore
Spirali Sulphureo. Hort. Amst. p. 2. 155?
328. *Hermannia*; minimo Alni folio.
An Ketmia, &c. Foliis triplo minoribus. Ib?
329. *Jacobæa Hispanica*, minùs laciniata; petalis brevissimis. T. Inst. 486.
330. *Jasminum Arabicum*; Castaneæ folio; flore albo, adoratissimo; cujus fructus Coffy in officinis. Boerh. Ind. alt. 217. *Arbor Yemenfis fructum Cofè ferens. D. Douglas.*
331. *Linaria vulgaris lutea*; flore majore. C. B. 212.
332. *Linaria lutea elatior & ramosior*; flore minori.
333. *Linaria, Hispanica*, procumbens; foliis uncialibus, glaucis; flore flavescente, pulchrè striato, labiis nigro-purpureis.
334. *Linaria multicaulis, erecta annua*; angusto Moluginis folio; floribus luteis rarè dispositis.
335. *Lactuca perennis, humilior*; flore cœruleo. T. Inst. 473.
336. *Parietaria Officinarum & Dioscoridis*. C. B. 121.
337. *Parietaria vulgaris, Anglica. Parietaria minor, Ocimi folio. C. B. Ib.*
338. *Partheniastrum Americanum*; Ambrosiæ folio. Ac. Reg. Sc. Par.
339. *Ricinoides arbor, Americana*; folio multifido. T. Inst. 656.
340. *Satureia montana*. C. B. 218.
341. *Satureia montana*; latiori folio; ramulis minùs erectis.

342. *Sclarea*, folio *Salviæ*, minor, five glabra. T. Inf. 180.
 343. *Sclarea*, folio triangulari; caule tomentoso. Ib.
 344. *Tribulus terrestris*. J. B. 2. 352.
 345. *Tribulus terrestris*, hexaphyllos, Americanus.
An Tribulus terrestris major; flore maximo, odorato. Sloan. Hist. Vol. I. p. 209. Tab. 132. Fig. 1?
 346. *Trifolium*, angustifolium spicatum. J. B. 2. 376.
 347. *Trifolium arvense*, humile, spicatum five *Lagopus*. C. B. 328. foliis latioribus. *Lagopodium Lagopus. Tab. Icon. 524.*
 348. *Trifolium*, *Lagopus* dictum, angustioribus foliis. *Lagopus Lob. Icon. 39.*
 349. *Trifolium pratense*, hirsutum, majus; flore albo Sulphureo. Raii Syn. Ed. 2. 193.
 350. *Trifolium pratense*, folliculatum. C. B. 329.
-

II. *An Examination of Monsieur Perault's new-invented Axis in Peritrochio, said to be entirely void of Friction: With an Experiment to confirm the Reasoning made upon an Axis in Peritrochio first us'd in Mons. Perault's Manner, then in the common Way, by J. T. Desaguliers, L L. D.*

AS the Recommendation and Contrivance of a Person, who is considerable in mechanical Performances, is a great Inducement for others to make use of
of